

Service price list, Nordic

Pipette:	Channel qty:	5.2* (€)	10.1* (€)	10.2* (€)	10.3* (€)
Mechanical	1	49,00	49,00	66,00	77,00
Mechanical	2-8	73,00	73,00	95,00	116,00
Mechanical	12	80,00	80,00	104,00	128,00
Mechanical	16	88,00	88,00	113,00	140,00
Mechanical ≤10 µl	2-8	116,00	116,00	137,00	157,00
Mechanical ≤10 µl	12	128,00	128,00	150,00	172,00
Mechanical ≤10 µl	16	140,00	140,00	165,00	187,00
Electronic	1	66,00	66,00	77,00	91,00
Electronic	2-8	75,00	75,00	97,00	118,00
Electronic	12	82,00	82,00	106,00	131,00
Electronic	16	91,00	91,00	116,00	142,00
Electronic ≤10 µl	2-8	118,00	118,00	139,00	160,00
Electronic ≤10 µl	12	131,00	131,00	153,00	176,00
Electronic ≤10 µl	16	142,00	142,00	167,00	192,00
Dispenser	1	69,00	69,00	78,00	96,00
Bottle top dispenser	1	81,00	81,00	90,00	104,00

Extras pricelist:	€
FINAS accredited calibration certificate** (ISO 17025) 1-channel	39,00
FINAS accredited calibration certificate** (ISO 17025) multichannel	62,00
As found performance test 1-channel	27,00
As found performance test multichannel	43,00
As found performance test multichannel ≤10 µl	85,00
Small parts supplement	7,00
Cost estimate	30,00
Delivery/freight	≥24,00

- * 5.2: Five measurements in two volumes (default 100 % and 10 % of the pipette's maximum volume)
 10.1: 10 measurements in one volume (default 100 % of the pipette's maximum or fixed volume)
 10.2: 10 measurements in two volumes (default 100 % and 10 % of the pipette's maximum volume)
 10.3: 10 measurements in three volumes (default 100 %, 50 % and 10 % of the pipette's maximum volume), which is the reference procedure of ISO 8655:n (10.1 and 100 % if fixed pipette)
- ** FINAS accredited calibration certificate is ordered and charged separately
 FINAS accredited calibration certificate is available as 10.3 (100 %, 50 % ja 10 % of the pipette's maximum volume)

Service procedure:

- Opening and careful cleaning of the pipette
- Replacing the spare parts when necessary
- Lubrication of seals (according to manufacturer)
- Performance testing/calibration

Performance testing/calibration

- We use ISO 8655 specification (unless agreed otherwise)
- We use Sartorius standard tips (other tips must be sent with the pipette at least 5 pcs/channel)
- We use forward pipetting (unless agreed otherwise)
- Every channel of a multichannel pipette is tested individually
- Service and test report are dispatched with serviced pipette

Sartorius Biohit Liquid Handling Oy's calibration laboratory is a FINAS accredited calibration laboratory no. K041. The Finnish Accreditation Service (FINAS) co-operates with international accreditation organizations, which co-operate to harmonize and promote the consistency of accreditation. FINAS is a member of the European co-operation for Accreditation (EA) and is part of the Multilateral Recognition Agreement (MLA, MRA).

Osoite: Laippatie 1, 00880 Helsinki

Puh: +358 50 4141 628

Tarjouspyynnöt ja tilaukset: Sales.Nordic@Sartorius.com

Huoltotiedustelut: Service.Nordic@Sartorius.com